















TOP: Created by the Baechli Sheet Metal workshop, the tank is pure Seventies Chopper style - which is also TOP RIGHT: Today's homologation precedures ask highlighted by the heavy metal flake paintjob! The problem with modern Harley-customizing is to hide the for increasingly complicated support systems: Fuel extensive electronic systems somewhere.

injection & ABS are somewhat mandatory.

laxed and laid-back riding. If you don't have to carry a of Baechli's "Heavy Metal" team ...

The slow way of riding has become increasingly po- passenger, "Old School" - in this case the more mo- Looking through the windows into the showroom of pular in Switzerland - and in particular in those Kan- dern "New School" Bobber style - might be an opti- Baechli Harley-Heaven in Dietikon always is inspitons where speed controls have dampened the spi- on! Baechli Harley-Davidson in Dietikon near Zuerich/ rational: Aside from having the widest assortment rits of Swiss motorcycle riders beyond the point they Switzerland is always a top adress to have customs of HD-models there are always several finished would like to mount any sportbike at all. Which opens built. This one more or less a "Bolt-On" job with cool custom-projects available – or the hardcore "Zero the way for individual motorcycles and the Big Twins handcrafted details, Baechli's Custom Workshop cre- Engineering" models which are also part of the Harfrom Milwaukee. Although the "Twin Cams" offer more ated an superb Bobber which can be used in daily traf-ley-Heaven line-up. Always fully aware of coming than enough horsepower to get in conflict with Swiss fic at Zuerich or strolling along country roads. But the trends, Rainer Bächli advices his team to build "onespeed limits in second gear already, they also have name "Tight Bobber" originates from the very specific offs" - or he is listening to clients and his dedicated the benefit of massive torque, which allows also a re-tailend, which shows the creativity and craftsmanship workshop crew, what should be tried as a custom

















TOP: The "Blackline" basic engine design - black & white accented motor and primary components - works TOP RIGHT: RST "Moto Cross" style handlebar with with a surprising number of styles and paintjobs. Baechli's "New School" Bobber benefits from the basic Roland Sands grips and the stock controls offer a design that also keeps the costs low.

cool and clean look.

project.

from the crowd: TTS "Big Spoke" wheels are such a jects. part, some of them even lasting longer than the cu-

stock "Blackline" design of partially black/aluminum ley-Heaven sheet metal workshop to fit the tire as Sometimes it takes only a few style defining parts motor, primary and gearbox parts which have made close as possible, moving with the swingarm AND to create a one-off motorcycle which stands out the "Blackline" such a popular model for custom pro- hiding the electric cables inside too! Very clean and

TTS offers a wide variety of styles and colour op- Baechli always adds some "new twist" to the bikes of course! Apart from the sidemount license plate, tions, Baechli opted for the black/chrome versions they build. In this case, the "Tight" in "Tight Bobber" there are no visible distractions from a very clean

Inch size at the front. This is a perfect match for the fender: The SCP steel part was modified by the Harhigh-tech, indicators and taillight are neatly integrated into the fender strut using available LED compostom-project they originally were planned for. Since It is possible to modiled the FXS "Bolt On", but nents by CCE and W&W Cycles – all homologated, of moderate 6-Inch width at the rear and a 3 x 19 originates from the extremly tight fit of rear tire and tailend. And you have to realise that the complete















TOP: Rainer Baechli knows what his clients are looking for: Clean look and something "extra" that make the TOP RIGHT: ...which also tightly bends around the bike stand out. At the "Tight Bobber", the tire is super-close to the swingarm-mounted fender – and to clean fender. Indicator strips and CCE mini LED taillight up the tailend, both taillight and indicators have been integrated into the handcrafted sheet fender strut...

cabling has to be inside the fender AND connected gle underneath completely free to look through! to the main cable tree via a free swinging and highly the swingarm movements.

sitting atop the upper frame backbone AND the trian- "New School" project, bridging the "Old School" origi- Text: HRF; Fotos: Motographer

stressed connection that has to take the full load of Stock "Blackline" are motor, primary drive and gear- in Harley lingo...) remains operative and can make a box, the stock finish with black heads and primary difference when it comes to critical traffic situations. case fitting perfectly! The 96-cubic-incher anywayis The in-house sheet metal workshop also built the powerful enough - we have already discussed the New School "Made in Switzerland" may have to very Seventies-style fuel reservoir for which the task challenges of excess speeds on Swiss roads – and make compromises for todays legal issues, but the of re-routing and re-placing the electrical componen- upgrades are always possible. BSL delivered the "Tight Bobber" again shows that this can be perforts (usually crowded under the tank) was challenging! exhaust system: Black is beautiful! The Paugho med in style! Baechli style, of course... Nevertheless the team managed to have the tank "Teardrop" airfilter is something to expect on such a

were modified ti fit the tight-fight arrangement.

nal look with modern parts and todays technologies. Consequently, the ABS (Advanced Braking System











www.HARLEY-HEAVEN.ch ------ PRESS RELEASE ---

Technische Daten/Technical data/Spécifications/Technische Specificaties/Formulario Dati Tecnici/Informação Técnica:

Allgemeines/General/Generalitè/Algemeen/Generalita/Geral:	
Name/Bezeichnung/Name/Nom de la moto/Naam van de motorfiets/Nome della M	Moto/Nome da Moto: Tight Bobber
Besitzer/Owner/Propriétaire/Eigenaar/Proprietario/Proprietário:	Baechli Customer in Switzerland
Ort/Location/Ville/Stad/Citta/Cidade:	Dietikon/Switzerland
Auf-/Umgebaut von/Assembly/Refait par/op en ongebbouwed door/Costruttore/ M	Montagem por:
	Harley-Heaven Bächli AG
Jahr/Year/Année/bouwjaar/Anno/Ano:	2014/2015
Bauzeit/Time/Terminé/bouwtijd/Periodo di lavorazione/Tempo:	4 Weeks
Fertigstellung/Finishishing date/Finissage/afbouwdatum/Dati di completare/Data	
Modell/Model/Modèle d'origine/model/Marca e Modello/Modelo de Origem:	H-D FXS 2011
Wert/Value/prix/waarde/valore/Preço:	On request!
Sonstiges/Other/Autres/ovenig/Altro/Outros:	Build to ride!
Motor/Engine/Moteur/Motorblok/Motore/Motor:	
Baujahr/Year/Année/bouwjaar/Anno/Ano:	2011
Block/Lower end/Bas moteur/onder blok/Blocco Motore/Carter:	Stock HD "Twin Cam"
Kurbelwelle/Crankshaft/Vilebrequin/Ceruleas/Albero motore/Cambota:	
Zylinder/Cylindrée/cilinderse/Cilindri/Cilindrada:	
Kolben/Pistons/Pistons/zuigers/Pistoni/Piston:	Stock HD
Hubraum/Displacement/Cylindrée/cilinderinhoud/cilindrata:	
Pleuel/Con Rod/Bielle/dryfstangen/Biella/Biela:	
Zylinderköpfe/Heads/haute Cylindrée/cilinderkop/testata/po cilindro:	
Ventile/Valves/soupapes/kleppen/Valvole/Válvulas:	
Stößel/Pushrods/Tiges de poussoir/klepstoters/regolabili/Tirante:	
Nockenwelle/Camshaft/Cames/nokhenas/klepstoters/Veio de excêntricos:	Stock HD
Vergaser/Carburator/Carburateur/carburateur/Carburatore/Carburador:	
Luftfilter/Air cleaner/Filtre à air/luchtfilter/Filtro Aria/Filtro de Ar:	Paughco "Teardrop" Air Cleaner
Zündung/Ignition/Allumage/ontsteking/Accenzione/Ignição:	
Krümmer/Pipes/ Pipes d'échappement/uitlaten/scarichi/Escapes:	
Endtöpfe/Mufflers/Silencieux/demper/silenziatore/Silenciador:BS	
Leistung (PS)/Horsepower (hp)/Chevaux/vermogen/Cavallo vapore/Cavalos:	
Sonstige Bemerkungen/Other/Autres/ovenige bejzonderheeden/Altro/Outros:	

	Ubersetzung/Getriebe//Transmission/Transmission/Versnellungsbak/Cambio/Transmissao:	
	Baujahr/Year/Année/bouwjaar/Anno/Ano:	2011
	Typ/Type/Type/Type/Typ/Tipo:	Stock HD
	Gänge/Gears/Vitesse/aantal versnellingen/rapporti/Velocidade:	6
	Schaltung/Shifting/changement de vitesse/schaledwijze/azionamento/Velocidades:	Foot
	Primärantrieb/Primary Transmission/Transmission primaire/primaire overbrenging/trasmiss. Primaria/	Γransmissão
	pṛimária:	Stock
	Kupplung/Clutch/Disques d'embrayage/frizione/Disco de Embrayagem:	Stock
Z	Sekundärantrieb/Secondary transmission/Transmission secondaire/sekundaire overbrenging/trasmiss.	Secondaria/
	Transmissão Secundária:	Belt Drive
	Sonstige Bemerkungen/Other/Autres/ovenig/Altro/Outros:	
	Fahrwerk/Frame; Brakes/Cadre; Freins/frame en remmen/Telaio e freni/Quadro e travão :	
	Rahmen/Frame/Cadre/frame/Telaio/Quadro:	
	Baujahr/Year/Année/bouwjaar/Anno/Ano:	
	Lenkkopfneigung/Rake/Chasse/balhoofdshael/inclinazione:	
	Verlängerung (Verkürzung)/Stretch (Shortage)/Allongement (Abréviation)/verlenging (inhoulang)/allur	ngamento
	(riduzione):	
	Sonstige Umbauten/Other/Autres/andere wegrigingen/Altro/Outros:	
	Schwinge/Swinging arm/Bras oscillant/achtenbrug/Forcellone oscillante/Braço Oscillante: Harley-L	Davidson Softail
	Stoßdämpfer/Shock absorbers/Amortisseurs/schokdempers/ammortizzatori/Amortecedor:	Stock HD
	Gabel/Fork/Fourche/vork/Forcella anteriore/Garfo:	Stock HD
	Hersteller/Type/Constructeur/merk/Marca/Constructor:	larley-Davidson
	Verlängerung/ Stretch/Extension/verlenginging/allungamento/Alongar:	
	Sonstiges/Other/Autres/ovenig/Altro/Outros:	











www.HARLEY-HEAVEN.ch ------ PRESS RELEASE ---

Räder/Wheels/Roues/wielen/Ruota/Rodas:

Rauei/Wheels/Roues/Wielen/Ruota/Rouas.		
Vorne/Front/avant/voor/anteriore/Frente:		
Größe/Size/Dimensions/maat/dimensione/Dimensões:		
Nabe/Hub/Moyeu/naaf/rotore/Rotor:	TTS	
Speichen/Spokes/rayons/spaken/raggi/Raios:	TTS Big Spoke	
Reifen/Tyre/Pneu/banden/pneumatico/Pneus:		
Hinten/Rear/arriere/achter/posteriore/Traseiro:		
Größe/Size/Dimensions/maat/dimensione/Dimensões:		
Nabe/Hub/Moyeu/naaf/rotore/Rotor:	TTS	
Speichen/Spokes/rayons/spaken/raggi/Raios:	TTS Big Spoke	
Reifen/Tyre/Pneu/banden/pneumatico/Pneus:		
Bremsen/Brakes/Freins/remmen/Freni/Travões:		
Vorne/Front/avant/voor/anteriore/Frontal:		
Bremsscheibe(n)/Disk(s)/Disque(s)/remschiguen/Disco/Disco:	•	
Bremszange(n)/Caliper(s)/Bloc(s)/remklaumen/Pinza freno/Bloco	Stock HD	
Hinten/Rear/arriere/achter/posteriore/Traseiro:	_	
Bremsscheibe(n)/Disk(s)/Disque(s)/remschiguen/Disco/Disco:	Harley-Davidson	
Bremszange(n)/Caliper(s)/Bloc(s)/remklaumen/Pinza freno/Bloco	Stock HD	
Sonstige Bemerkungen/Other/Autres/ovenig/Altri/Outros:		
Accessoires:		
Riser:		
Lenker/Bars/Guidon/stuur/Manubrio/Guiador:	Roland Sands Design Moto Cross Bar	
Spiegel/Mirrors/Rétroviseur/spiegel/Specchietto/Retrovisor:	W&W cycles	
Armaturen/Griffe/Grips/Poignées/handgreepen/manopole/Punhos:	H-D stock, Roland Sands Design "Tracker"	
Fußrasten/Pegs/Repose-pieds/voetsteunen/Pedaliera/Pousa Pés:		
Vorne/Front/avant/voor/anteriore/Frontal:	Stock HD, Roland Sands Design Shifter peg	
Hinten/Rear/arriere/achter/posteriore/Traseiro:	none	
Tank/Gas Tank/Réservoir d'essence/tank/Serbatoio/Depósito:	Bächli Harley-Davidson,	
	•	
Sitzbank/Seat/Selle/zadel/Sella/Banco:	Bächli Harley-Davidson, spring-mounted	
Öltank/Oil-tank/Réservoir d'huile/olie tank/Serbatoio olio/Depósito de oleo:Harley-Davidson		

	Schutzblech/Fenders/Garde-boue/spatborden/Parafango/Guarda-Lama:
	Vorne/Front/avant/voor/anteriore/Frontal:
	Hinten/Rear/arriere/achter/posteriore/Traseiro: SCP, modified by Bächli Harley-Davidson "Bobber Style"
	Elektrik/Electrics/Electricité/electrciteit/Elettrico/Electricidade:
	Lampe vorne/Headlight/Phares/koplamp/Faro/Faróis:
	Rücklicht/Taillight/Feux arrière/achterlicht/Luce posteriore/Faróis traseiros:
ı	Blinker/Indicators/Clignotantes/richtingaanwejzers/Lampeggiatore/Piscas: Front: CCE Mini indicators
	Kabelbaum/Wireing/System électrique/kabelboom/Imp. Elettrico/sistema eléctrico: Harley-Davidson / Bächli
	Sonstiges/Other/Autres/ovenig/Altro/Outros:
	Lackierung/Painting/Peinture/spuitwerk/Verniciature/Pintura:
	Idee/Idea/Idée/idee/Idea/Ideia: Rainer Baechli
	Ausführung/Painter/Peintre/spuiter/Autore/Pintor:
	Basislack/Base laquer/Laque basique/basiskleur (soort)/Colore base/Côr de base:
	Farbe/Colour/Couleur/kleuren/Colore/Côr:
	Airbrush-Gemälde/Design/Airbrush Art/Design/Peinture speciale/ontwerp/Aerografie/Artista:
	Sonstige Bemerkungen/Other/Autres/ovenig/Altro/Outros: Partially powder coated

Kontaktadresse/Adress/contact/contactadres/Indirizzo/Morada:

Harley-Heaven Bächli AG Ueberlandstraße 74 CH-8953 Dietikon Switzerland/Suisse/Schweiz Tel. ++41 (0) 44 - 744 30 44 www.Harley-Heaven.ch







PRESS RELEASE

Bobber



BAECHLI'S TIGHT BOBBER

Harley-Heaven's "NEW SCHOOL" Bobber offers everal unique details that add up to a remarkable street-legal Custombike. This brandnew Twin Cam Softail custom, which was created by the Bächli Custom workshop.

TTS "Big Spoke" wheels to the front and rear, handcrafted details and tailfender integrated to the swingarm are some of the modifications that convert this bike into a true "Bobber". Single seat with low riding position and the eyecatching metal flake paintjob catch the eye immediately.

Feature shows all custom-modifications from multiple angles. Includes also several COVER-OPTION photos.

Further new Bächli Bike Features are now previewed in a special 2015 Spring Bike Feature PDF and will be available on demand as full features.

WWW.MOTOGRAPHER.DE

BIKE FEATURE

Dipl.-Ing. Horst Rösler Werrastraße 26 60486 Frankfurt/Main - Germany Tel./Fax ++49 - (0)69 - 77 22 87 Mobile ++49 - (0)172 - 69 56 338 e-mail: Motographer@GMX.de

TEXTE OPTIONAL IN DEUTSCH ODER ENGLISCH
TEXTS OPTIONAL IN GERMAN OR ENGLISH







COVER OPTIONS

Bobber







NOTE: THE IMAGE FOLDERS DO INCLUDE MORE COVER IMAGES AS PRESENTED HERE. THESE IMAGES ARE JUST FOR REFERENCE TO SHOW WHAT WOULD BE POSSIBLE WITH THE MATERIAL AVAILABLE







PRESS RELEASE

Bobber







NOTE: THE IMAGE FOLDERS DO INCLUDE MORE COVER IMAGES AS PRESENTED HERE. THESE IMAGES ARE JUST FOR REFERENCE TO SHOW WHAT WOULD BE POSSIBLE WITH THE MATERIAL AVAILABLE







COVER OPTIONS

Bobber







NOTE: THE IMAGE FOLDERS DO INCLUDE MORE COVER IMAGES AS PRESENTED HERE. THESE IMAGES ARE JUST FOR REFERENCE TO SHOW WHAT WOULD BE POSSIBLE WITH THE MATERIAL AVAILABLE



